

Counter formatting

internals/internals-counter-formatting

1 AA

(1)a BB

(1)b CC

(1)c DD

2 EE

(2)a FF

```
\renewcommand{\thesubsection}{(\thesection)\alph{subsection}}\section{AA}\subsection{BB}\subsection{CC}\subsection{DD}\section{EE}\subsection{FF}
```

Counter formatting

internals/internals-counter-formatting

1 AA

(1)a BB

(1)b CC

(1)c DD

2 EE

(2)a FF

1 AA

1.1 BB

1.2 CC

1.3 DD

2 EE

2.1 FF

Counter-inspectie

internals/internals-counter-inspection

1 AA

Counters: 1.0, 0,

1.1 BB

Counters: 1.1, 1, i

1.2 CC

Counters: 1.2, 2, ii

```
\section{AA}
Counters: \thesubsection,
\arabic{subsection},
\roman{subsection}
```

```
\subsection{BB}
Counters: \thesubsection,
\arabic{subsection},
\roman{subsection}
```

```
\subsection{CC}
Counters: \thesubsection,
\arabic{subsection},
\roman{subsection}
```

\newcommand

internals/internals-newcommand

```
\newcommand\aa{aa: ()}
\newcommand\bb[1]{bb: (#1)}
\newcommand\cc[2]{cc: (#1,#2)}
\newcommand\dd[3]{dd: (#1,#2,#3)}
\newcommand\ee[3][Z]{ee: (#1,#2,#3)}

Lorem \aa, \bb{A}, \cc{A}{B}, \dd{A}{B}{C},
\ee{A}{B}, \ee[A]{B}{C}, \ee ABC. %$ \frac{2}{\sqrt{3}} $
```

Lorem aa: (), bb: (A), cc: (A,B), dd: (A,B,C), ee: (Z,A,B), ee: (A,B,C), ee: (Z,A,B)C.

\newcommand

internals/internals-newcommand

```
\newcommand\co{CO$_2$}
\newcommand\term[1]{\textcolor{blue}{\textit{#1}}}

Lorem ipsum \co{} dolor sit amet \co.
Duis \term{iaculis} id orci eu mattis.
\term{Suspendisse facilisis.}
```

Lorem ipsum CO₂ dolor sit amet CO₂. Duis *iaculis* id orci eu mattis. *Suspendisse facilisis.*

```
\newcommand\genummerd[3]{.\{ \textbf{\#2}\}\leaders  
\hbox{\#1}\hfill \#3}  
  
\genummerd{AA}{6}\par  
\genummerd{Lorem ipsum}{12}\par  
\genummerd{Amet}{20}\par  
\genummerd[-]{Vivamus}{20}
```

AA	6
Lorem ipsum	12
Amet	20
Vivamus -----	20

```
\newcommand\genummerd[3]{.\{ \par \textbf{\#2} \hspace{0.2em} }  
\leaders\hbox{\#1}\hfill \hbox to 1.55em{\hfil \#3}\par}  
  
\genummerd{AA}{6}  
\genummerd{Lorem ipsum}{12}  
\genummerd{Amet}{20}  
\genummerd[-]{Vivamus}{20}  
\genummerd[Hoi!]{Vivamus}{20}
```

AA	6
Lorem ipsum	12
Amet	20
Vivamus	20
Vivamus	20

Adjustbox

```
\usepackage{adjustbox,xcolor}
```

```
  Lorem ipsum.
```

```
\adjustbox{
  cframe=blue!50!white 1pt 6pt 3pt,
  bgcolor=blue!10!white,
}%
\parbox
{\dimexpr\ linewidth - 20pt\relax}
%
  Quisque porta feugiat tortor
  tristique porta.
}%
```

internals/internals-newenviron

 Lorem ipsum.

Quisque porta feugiat tortor
tristique porta.

Adjustbox

internals/internals-newenviron

```
\usepackage{environ}

\NewEnviron{important}{
    \par
    \adjustbox{
        cframe=blue!50!white 1pt 6pt 3pt,
        bgcolor=blue!10!white,
    }{%
        \parbox
        {\dimexpr\linewidth - 20pt\relax}
        {\BODY}%
    }
}
```

```
\begin{important}
    Lorem ipsum ...
\end{important}
```

A lot of packages

internals/internals-packages-ref

Necessary for examples in this presentation.

Improve page margins, mathematics, paragraph indent, language, images and more.

Find a template including the most important packages from Vincent's website, on

vkuhlmann.com/latex/example

Class

internals/internals-providesclass

```
% Bestand: inleveropgave.cls
\NeedsTeXFormat{LaTeX2e}
\ProvidesClass{inleveropgave}
[2021/10/26 inleveropgave v1.0]

\LoadClass[a4paper]{article}
\RequirePackage{amsmath,amssymb,amsthm}
\RequirePackage[margin=2.54cm]{geometry}
...
```

```
% Bestand: document.tex
\documentclass{inleveropgave}
\begin{document}
    Hey!
\end{document}
```

\renewcommand

internals/internals-renewcommand

```
\renewcommand\thesection{007}
\renewcommand\thesubsection{Yo}
\section{AA}
\subsection{BB}
\subsection{CC}
\subsubsection{DD}
```

007 AA

Yo BB

Yo CC

Yo.1 DD

Yo.2 EE

\setcounter

internals/internals-setcounter

1 AA

5 BB

5.8 CC

6 DD

6.1 EE

```
\section{AA}
\setcounter{section}{4}
\section{BB}
\setcounter{subsection}{7}
\subsection{CC}
\section{DD}
\subsection{EE}
```

Spaties en overzichtelijke code: de verkeerde [internals/internals-spaces-in-code](#)

Nope: \includegraphics [width=0.9\textwidth]{ afbeelding.jpg }

Ok

```
\includegraphics[  
    width=    0.9 \textwidth  
]{afbeelding.jpg}
```

Nope

```
\includegraphics[  
    width=    0.9 \textwidth  
]{afbeelding.jpg}
```

Spaties en overzichtelijke code: de verkeerde [internals/internals-spaces-in-code](#)

Ok

```
\usepackage{  
    parskip,  
    hyperref  
}
```

Ok

```
\begin{center}  
    AA  
\end{center}  
\begin{center}  
    BB  
\end{center}  
\begin{center}CC\end{center}
```