

UAV L^AT_EX-course

Tim Weijers & Vincent Kuhlmann

15 March 2022

Slides are available at
vkuhlmann.com/latex

Schedule

- ▶ Introduction
 - ▶ Text formatting
 - ▶ Structure of a document
 - ▶ <Exercises!>
 - ▶ Images
 - ▶ Formulas
 - ▶ <Exercises!>
 - ▶ Closing remarks

LATEX vs Word

My document

Lorem ipsum

...lorem ipsum dolor sit amet, consectetuer adipiscing elit. Aenean commodo ligula eget dolor. Aenean massa. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Donec quam felis, ultricies nec, pellentesque eu, pretium quis, sem. Nulla consequat massa quis enim.

Donec pede justo

Fringilla vel, aliquet nec, vulputate eget, arcu. In enim justo, rhoncus ut, imperdiet a, venenatis vitae, justo.

Nullam dictum felis eu pede mollis pretium. Integer tincidunt.

$$f(x) = \frac{1}{\sigma\sqrt{2\pi}} e^{-\frac{1}{2}\left(\frac{x-\mu}{\sigma}\right)^2}$$

Cras dapibus. Vivamus elementum semper nisi. Aenean vulputate eleifend tellus. Aenean leo ligula, porttitor eu, consequat vitae, eleifend ac, enim. Aliquam lorem ante, dapibus in, viverra quis, feugiat a, tellus.



Figure 1: Bengali tijzer

My document

Vincent Kublmann

3 May 2021

1. Lorem ipsum

... ipsum dolor sit amet, consectetur adipiscing elit. Aenean commodo ligula eget dolor. Aenean massa. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Donec quam feugiat ultricies nec, pellentesque eu, pretium quis, sem. Nulla consequat massa quis enim.

1.1 Donec pede justo

Fringilla vel, aliquet nec, vulputate eget, arcu. In enim justo, rhoncus ut, imperdiet a, venenatis vitae, iaculis.

Non-significant differences were found between the two groups in terms of age, gender, education level, marital status, income, and employment.

$$f(x) = \frac{1}{\sigma\sqrt{2\pi}} e^{-\frac{1}{2}\left(\frac{x-\mu}{\sigma}\right)^2} \quad (1)$$

Cras dapibus. Vivamus elementum semper nisi. Aenean vulputate eleifend tellus. Aenean leo ligula, porttitor eu, consequat vitae, eleifend ac, enim. Aliquam lorem ante, dapibus in, viverra quis, feugiat a, tellus.



Figure 1: Bengaalse tijger

LATEX vs Word

Inner workings: big difference.

Word: Edit visually

LAT_EX: Edit code (text)

```
\title{My document}
\author{Vincent Kuhlmann}
\date{3 May 2021}

\begin{document}
\maketitle
\section{Lorem ipsum}
Lorem ipsum dolor sit amet, consectetur

\begin{align}
f(x) = \frac{1}{\sigma\sqrt{2\pi}} e^{-\frac{(x-\mu)^2}{2}}
\end{align}
```

My document

Vincent Kuhlmann

3 May 2021

1 Lorem ipsum

*Etiam non possum sedere, neque dormire, neque aliud facere nisi in somnis. Quia etiam in somnis
vixit, et in somnis viximus, et in somnis viximus.*

1.1 Donec pede justo

Fringilla vel, aliquet nec, vulputate eget, arcu. In enim justo, rhoacus ut, imperdiet a, venenatis vitae, justo.

Nullam dictum felis eu pede mollis pretium. Integer tincidunt.

$$f(x) = \frac{1}{\sigma\sqrt{2\pi}} e^{-\frac{1}{2}\left(\frac{x-\mu}{\sigma}\right)^2} \quad (1)$$

Cras dapibus. Vivamus elementum semper nisi. Aenean vulputate eleifend tellus. Aenean leo ligula, porttitor eu, consequat vitae, eleifend ac, enim. Aliquam lorem ante, dapibus in, viverra quis, feugiat a, tellus.



Figuur 1: Bengaalse tijger

Code vs Visual

```
\begin{lemma}
    Lorem ipsum dolor sit
    ... eget dolor.

    \begin{proof}
        Aenean massa. Cum
        ... quis enim.
    \end{proof}
\end{lemma}
```

Lemma 1.9. *Lorem ipsum dolor sit amet, consectetur adipiscing elit. Aenean commodo ligula eget dolor.*

Proof. Aenean massa. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Donec quam felis, ultricies nec, pellentesque eu, pretium quis, sem. Nulla consequat massa quis enim. □


Overleaf

LaTeX is the programming language.

Overleaf is a website where you can write and compile LaTeX.

Visual Studio Code is a desktop app where you can write and compile LaTeX.

MiKTeX does compilation for Visual Studio code.



For now: Overleaf.

Want VS Code? Instructions at
vkuhlmann.com/latex/installation

Simple document

```
\documentclass{article}
\usepackage[utf8]{inputenc}

\title{My document}
\author{Vincent Kuhlmann}
\date{1 May 2021}

\begin{document}
\maketitle
\section{Introduction}

Hello everyone!

\end{document}
```

My document

Vincent Kuhlmann

7 September 2021

1 Introduction

Hello everyone!

Text effects

Result	Code
Text	
<i>Text</i>	
TEXT	
<u>Text</u>	

Result	Code
Text	
Text	
Text	
Text	

Text effects

Result	Code
Text	\textbf{Text}
<i>Text</i>	
TEXT	
<u>Text</u>	

Result	Code
Text	
Text	
Text	
Text	

Text

\textbf{Text}

Text

Text

Text

TEXT

Text

Text

Text

bf = **boldface** | **it** = **italics** | **sc** = **smallcaps** | **tt** = **teletype** (a.k.a. monospace)

Text effects

Result	Code	Result	Code
Text	\textbf{Text}	Text	\texttt{Text}
<i>Text</i>	\textit{Text}	Text	{\tiny Text}
TEXT	\textsc{Text}	Text	{\LARGE Text}
<u>Text</u>	\underline{Text}	Text	\textcolor{red}{Text}

Huge, huge, LARGE, Large, large, normalsize, small,
footnotesize, scriptsize, tiny

¹\usepackage{xcolor}

\textbf{f} | {}

 Lorem ipsum \tiny dolor sit amet, consectetur adipiscing elit. Phasellus elementum, lacus quis tempus scelerisque, elit diam vulputate ex, semper elementum massa odio in ante.

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Phasellus elementum, lacus quis tempus scelerisque, elit diam vulputate ex, semper elementum massa odio in ante.

\textbf{tex} \textbf{tbf} | \{ }

```
-----  
Lorem {ipsum \tiny dolor sit amet, consectetur  
adipiscing elit. Phasellus {elementum}, lacus quis  
tempus scelerisque, {elit diam vulputate ex, semper}  
elementum massa odio in ante.
```

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Phasellus elementum, lacus quis tempus scelerisque, elit diam vulputate ex, semper elementum massa odio in ante.

Paragraphs

```
 Lorem ipsum dolor sit amet,  
 ... ornare sit amet.  
 In ipsum ante, sollicitudin  
 ... sit amet augue.
```

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Integer id erat leo. Suspendisse sit amet ligula turpis. Duis congue turpis odio, non ornare elit ornare sit amet. In ipsum ante, sollicitudin at euismod vitae, tincidunt vitae massa. Aenean metus lectus, porta at tempor at, dapibus sit amet augue.

Paragraphs

```
 Lorem ipsum dolor sit amet,  
 ... ornare sit amet.  
 In ipsum ante, sollicitudin  
 ... sit amet augue.
```

```
 Lorem ipsum dolor sit amet,  
 ... ornare sit amet.
```

```
 In ipsum ante, sollicitudin  
 ... sit amet augue.
```

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Integer id erat leo. Suspendisse sit amet ligula turpis. Duis congue turpis odio, non ornare elit ornare sit amet. In ipsum ante, sollicitudin at euismod vitae, tincidunt vitae massa. Aenean metus lectus, porta at tempor at, dapibus sit amet augue.

Paragraphs

 Lorem ipsum dolor sit amet,
 ... ornare sit amet.
In ipsum ante, sollicitudin
 ... sit amet augue.

 Lorem ipsum dolor sit amet,
 ... ornare sit amet.
In ipsum ante, sollicitudin
 ... sit amet augue.

 Lorem ipsum dolor sit amet, consectetur adipiscing elit.
Integer id erat leo. Suspendisse sit amet ligula turpis. Duis
congue turpis odio, non ornare elit ornare sit amet. In
ipsum ante, sollicitudin at euismod vitae, tincidunt vitae
massa. Aenean metus lectus, porta at tempor at, dapibus
sit amet augue.

 Lorem ipsum dolor sit amet, consectetur adipiscing elit.
Integer id erat leo. Suspendisse sit amet ligula turpis. Duis
congue turpis odio, non ornare elit ornare sit amet.

 In ipsum ante, sollicitudin at euismod vitae, tincidunt
vitae massa. Aenean metus lectus, porta at tempor at,
dapibus sit amet augue.

Paragraphs

```
...
\usepackage{parskip}
\begin{document}
Lorem ipsum dolor sit amet,
... ornare sit amet.

In ipsum ante, sollicitudin
... sit amet augue.
\end{document}
```

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Integer id erat leo. Suspendisse sit amet ligula turpis. Duis congue turpis odio, non ornare elit ornare sit amet.

In ipsum ante, sollicitudin at euismod vitae, tincidunt vitae massa. Aenean metus lectus, porta at tempor at, dapibus sit amet augue.

Lists

These are the ingredients:

```
These are the ingredients:  
\begin{enumerate}  
    \item Carrots  
    \item Onions  
  
    Lipsum dolor sit amet.  
    \item Potatoes  
\end{enumerate}
```

1. Carrots

2. Onions

Lipsum dolor sit amet.

3. Potatoes

Lists

These are the ingredients:

```
\begin{enumerate}
    \item Carrots
    \begin{enumerate}
        \item Buy
        \item Peel
        \item Chop
    \end{enumerate}
    \item Onions

    Lipsum dolor sit amet.
    \item Potatoes
\end{enumerate}
```

These are the ingredients:

1. Carrots
 - (a) Buy
 - (b) Peel
 - (c) Chop
2. Onions
- Lipsum dolor sit amet.
3. Potatoes

Lists

These are the ingredients:

```
\begin{itemize}
    \item Carrots
    \begin{enumerate}
        \item Buy
        \item Peel
        \item Chop
    \end{enumerate}
    \item Onions

    Lipsum dolor sit amet.
    \item Potatoes
\end{itemize}
```

These are the ingredients:

- Carrots
 1. Buy
 2. Peel
 3. Chop
- Onions

Lipsum dolor sit amet.
- Potatoes

Lists

These are the ingredients:

```
\begin{itemize}
    \item Carrots
    \begin{itemize}
        \item Buy
        \item Peel
        \item Chop
    \end{itemize}
    \item Onions

    Lipsum dolor sit amet.
    \item Potatoes
\end{itemize}
```

These are the ingredients:

- Carrots
 - Buy
 - Peel
 - Chop
- Onions
 - Lipsum dolor sit amet.
- Potatoes

Special characters

Code	Result	Code	Result
\{	{	{	Begin group
\}	}	}	End group
\%	%	%	Comment
_	_	-	Used in maths
\textasciicircum	^	^	Used in maths
\\$	\$	\$	Math mode
\textbackslash	\	\	Command
\&	&	&	Column separation
\#	#	#	Parameter
\textgreater	>	>	>
\textless	<	<	<

Special characters

Code	Result	Code	Result
\{	{	{	Begin group
\}	}	}	End group
\%	%	%	Comment
_	_	-	Used in maths
\textasciicircum	^	~	Used in maths
\\$	\$	\$	Math mode
\textbackslash	\	\	Command
\&	&	&	Column separation
\#	#	#	Parameter
\textgreater	>	>	>
\textless	<	<	<

Comments

```
% Make soul package work in beamer presentations
% Source: https://tex.stackexchange.com/...
\let\UL\ul
\makeatletter
\renewcommand\ul{
    \let\set@color\beamerorig@set@color
    \let\reset@color\beamerorig@reset@color
    \UL
}
...
...
```

Comments

```
% TODO Translate to English
\section{Nonsense}

Lorem ipsum dolor sit amet,
\textbf{ornare} sit amet.

\subsection{About  $\sqrt{2}$ }
```

Error! Undefined control sequence

Comments

```
% TODO Translate to English
\section{Nonsense}

%Lorem ipsum dolor sit amet,
%\textfb{ornare} sit amet.
%
%\subsection{About  $\sqrt{2}$ }
```

1 Nonsense

Comments

```
% TODO Translate to English
\section{Nonsense}

Lorem ipsum dolor sit amet,
\textbf{ornare} sit amet.

%\subsection{About $ \sqrt{2} $}
```

Error! Undefined control sequence

Comments

```
% TODO Translate to English
\section{Nonsense}

Lorem ipsum dolor sit amet,
\textbf{ornare} sit amet.

\subsection{About  $\sqrt{2}$ }
```

1 Nonsense

Lorem ipsum dolor sit amet,
ornare sit amet.

1.1 About $\sqrt{2}$

Quotes

'LaTeX' : 'LaTeX'

`LaTeX' : 'LaTeX'

``LaTeX'' : "LaTeX"

preamble

Simple document

```
\documentclass{article}

\usepackage [utf8]{inputenc}

\title{My document}
\author{Vincent Kuhlmann}
\date{1 May 2021}
```

```
\begin{document}
\maketitle
\section{Introduction}

Hello everyone!
\end{document}
```

Preamble

My document

Vincent Kuhlmann

1 May 2021

1 Introduction

Hallo iedereen!

Document

Page margins

```
\documentclass{article}
\usepackage[utf8]{inputenc}

\title{My document}
\author{Vincent Kuhlmann}
\date{1 May 2021}

\begin{document}
    \maketitle
    \section{Introduction}

    Hello everyone!

\end{document}
```



Page margins


```
\documentclass[a4paper]{article}
\usepackage[utf8]{inputenc}
\usepackage[margin=2.54cm]{geometry}

\title{My document}
\author{Vincent Kuhlmann}
\date{1 May 2021}

\begin{document}
    \maketitle
    \section{Introduction}

    Hello everyone!

\end{document}
```



Page margins

```
\documentclass[a4paper]{article}
\usepackage[utf8]{inputenc}
\usepackage[margin=2.54cm, left=-0.5cm]
{geometry}

\title{My document}
\author{Vincent Kuhlmann}
\date{1 May 2021}

\begin{document}
    \maketitle
    \section{Introduction}

    Hello everyone!

\end{document}
```



Section commands

```
\section{AA}
```

```
  Lorem ipsum dolor sit amet,  
  consectetur adipiscing elit.
```

```
\section{BB}
```

```
\subsection{CC}  
\subsubsection{DD}  
\subsection{EE}
```

```
  Nullam a risus at arcu  
  lobortis viverra vel  
  volutpat diam.
```

```
\section{FF}
```

```
\subsubsection{GG}
```

1 AA

 Lorem ipsum dolor sit amet, consectetur adipiscing elit.

2 BB

2.1 CC

2.1.1 DD

2.2 EE

 Nullam a risus at arcu lobortis viverra vel volutpat diam.

3 FF

3.0.1 GG

Contents

```
\begin{document}
    \maketitle
    \tableofcontents

    \section{AA}
    ...

\end{document}
```

Contents

1	AA	1
2	BB	2
2.1	CC	2
2.1.1	DD	2
2.2	EE	2
3	FF	2
3.0.1	GG	2

1 AA

Lorem ipsum dolor sit amet, consectetur adipiscing elit.

Contents

```
\begin{document}
    \maketitle
    \tableofcontents
    \newpage

    \section{AA}
    ...

\end{document}
```

Contents

1	AA	2
2	BB	2
2.1	CC	2
2.1.1	DD	2
2.2	EE	2
3	FF	2
3.0.1	GG	2

Contents

```
...
\usepackage[dutch]{babel}

\begin{document}
    \maketitle
    \tableofcontents
    \newpage

    \section{AA}
    ...

\end{document}
```

Inhoudsopgave

1	AA	2
2	BB	2
2.1	CC	2
2.1.1	DD	2
2.2	EE	2
3	FF	2
3.0.1	GG	2

Partial numbering

```
\setcounter{secnumdepth}{3}
\section{AA}
Lorem ipsum dolor sit amet,
consectetur adipiscing elit.

\section{BB}
\subsection{CC}
\subsubsection{DD}
\subsection{EE}
Nullam a risus at arcu
lobortis viverra vel
volutpat diam.

\section{FF}
\subsubsection{GG}
```

1 AA

Lorem ipsum dolor sit amet, consectetur adipiscing elit.

2 BB

2.1 CC

2.1.1 DD

2.2 EE

Nullam a risus at arcu lobortis viverra vel volutpat diam.

3 FF

3.0.1 GG

Partial numbering

```
\setcounter{secnumdepth}{2}
\section{AA}
Lorem ipsum dolor sit amet,
consectetur adipiscing elit.

\section{BB}
\subsection{CC}
\subsubsection{DD}
\subsection{EE}
Nullam a risus at arcu
lobortis viverra vel
volutpat diam.

\section{FF}
\subsubsection{GG}
```

1 AA

Lorem ipsum dolor sit amet, consectetur adipiscing elit.

2 BB

2.1 CC

DD

2.2 EE

Nullam a risus at arcu lobortis viverra vel volutpat diam.

3 FF

GG

Partial numbering

```
\setcounter{secnumdepth}{1}
\section{AA}
Lorem ipsum dolor sit amet,
consectetur adipiscing elit.

\section{BB}
\subsection{CC}
\subsubsection{DD}
\subsection{EE}
Nullam a risus at arcu
lobortis viverra vel
volutpat diam.

\section{FF}
\subsubsection{GG}
```

1 AA

Lorem ipsum dolor sit amet, consectetur adipiscing elit.

2 BB

CC

DD

EE

Nullam a risus at arcu lobortis viverra vel volutpat diam.

3 FF

GG

Partial numbering

```
\setcounter{secnumdepth}{0}
\section{AA}
Lorem ipsum dolor sit amet,
consectetur adipiscing elit.

\section{BB}
\subsection{CC}
\subsubsection{DD}
\subsection{EE}
Nullam a risus at arcu
lobortis viverra vel
volutpat diam.

\section{FF}
\subsubsection{GG}
```

AA

Lorem ipsum dolor sit amet, consectetur adipiscing elit.

BB

CC

DD

EE

Nullam a risus at arcu lobortis viverra vel volutpat diam.

FF

GG

Partial numbering

```
\section{AA}
```

```
  Lorem ipsum dolor sit amet,  
  consectetur adipiscing elit.
```

```
\section*{BB}
```

```
\subsection*{CC}
```

```
\subsubsection{DD}
```

```
\subsection*{EE}
```

```
  Nullam a risus at arcu  
  lobortis viverra vel  
  volutpat diam.
```

```
\section{FF}
```

```
\subsubsection{GG}
```

1 AA

 Lorem ipsum dolor sit amet, consectetur adipiscing elit.

BB

CC

1.0.1 DD

EE

 Nullam a risus at arcu lobortis viverra vel volutpat diam.

2 FF

2.0.1 GG

Vincents favorite package: \usepackage[bookmarksnumbered]{hyperref}

The screenshot shows a LaTeX editor interface. On the left, there is a sidebar titled "Table of Contents" with a tree view of the document structure. The visible parts include "Preface", "Introduction" (which is expanded), "Contents", and several sections under "1 Sets". One section, "2.2.2 Legitimate Substitutions", is highlighted with a gray background. The main text area on the right contains a mathematical statement and its proof.

Write $\vec{a} \equiv_{\Gamma} \vec{b}$ if for every formula $\phi(x_1, \dots, x_n)$ from Γ we have:

$$M \models \phi(a_1, \dots, a_n) \Leftrightarrow N \models \phi(b_1, \dots, b_n).$$

We shall apply this for Γ the set of quantifier-free L -formulas and for 1 simple L -formulas; in which case we write $\vec{a} \equiv_{\text{qf}} \vec{b}$, $\vec{a} \equiv_{\text{simple}} \vec{b}$, respect

Lemma 2.7.4 *Let L be an arbitrary language. Suppose that an L -theor following property:*

Whenever M and N are models of T , and $\vec{a} = a_1, \dots, a_n, \vec{b} = b_1, \dots$ tuples of elements of M and N , respectively, then $\vec{a} \equiv_{\text{qf}} \vec{b}$ implies $\vec{a} \equiv$

Then T has quantifier elimination.

Proof. Assume that T has the property in the statement of the L Lemma 2.7.2 we have to show that every simple L -formula is T -equ quantifier-free formula in the same free variables. So, let $\exists v\phi(v, \vec{w})$ t formula, with $\vec{w} = w_1, \dots, w_n$ the free variables. Let $\vec{c} = c_1, \dots, c_n$ constants; we write $L_{\vec{c}}$ for $L \cup \{c_1, \dots, c_n\}$.

Let Γ be the set of all quantifier-free L -formulas $\psi(\vec{w})$ such that

$$T \models (\exists v\phi(v, \vec{c})) \rightarrow \psi(\vec{c})$$

A lot of packages

Necessary for examples in this presentation.

Improve page margins, mathematics, paragraph indent, language, images and more.

Find a template including the most important packages from Vincent's website, on

vkuhlmann.com/latex/example

\includegraphics

\includegraphics

Here you see a penguin:

\includegraphics[height=2cm]{penguin.jpg}

Photo by Sue Flood.



\includegraphics

\includegraphics

Here you see a penguin:

\includegraphics[height=2cm]{penguin.jpg}

Photo by Sue Flood.



Here you see a penguin:

Photo by Sue Flood.

<https://www.pinterest.co.kr/pin/645844402812554993/>

\includegraphics

| as paragraph

\includegraphics

Here you see a penguin:

```
\includegraphics [height=2cm]{penguin.jpg}
```

Photo by Sue Flood.

Here you see a penguin:



Photo by Sue Flood.

\includegraphics

| as paragraph

| center

\includegraphics

Here you see a penguin:

```
\begin{center}
    \includegraphics[height=2cm]{penguin.jpg}
\end{center}
```

Photo by Sue Flood.

Here you see a penguin:



Photo by Sue Flood.

\includegraphics

| as paragraph

| center

| figure

\includegraphics

You can see a penguin in Figure~\ref{fig:penguin}.

```
\begin{figure}[h]
    \centering
    \includegraphics[height=2cm]{penguin.jpg}
    \caption{A cute penguin. Photo by Sue Flood.}
    \label{fig:penguin}
\end{figure}
```

You can see a penguin in Figure 1.



Figure 1: A cute penguin. Photo by Sue Flood.

Figure placement

\begin{figure}[h]

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetuer id, vulputate a, magna. Donec vehicula augue neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.. Zie hier voor Figuur 1.



Figure 1: Voorbeeld van figuurplaatsing.

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Do-

nec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Figure placement

\begin{figure}[t]



Figure 2: Voorbeeld van figuurplaatsing.

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Zie hiervoor Figuur 2.

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Do-

nec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Figure placement

```
\begin{figure}[b]
```

Lorem ipsum dolor sit amet, consectetur adipiscing
elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing
vitae, felis. Curabitur dictum gravida mauris. Nam
arcu libero, nonummy eget, consectetuer id, vulputate
a, magna. Donec vehicula augue eu neque. Pellentesque
habitant morbi tristique senectus et netus et ma-
lesuada fames ac turpis egestas. Mauris ut leo. Cras
viverra metus rhoncus sem. Nulla et lectus vestibulum
urna fringilla ultrices. Phasellus eu tellus sit amet tortor
gravida placerat. Integer sapien est, iaculis in, pretium
quis viverra ac, nunc. Praesent eget sem vel leo ultrices
bibendum. Aenean faucibus. Morbi dolor nulla, male-
sa eu, pulvinar at, mollis ac, nulla. Curabitur auctor
semper nulla. Donec varius orci eget risus. Duis nibh
mi, congue eu, accumsan eleifend, sagittis quis, diam.
Duis eget eric sit amet orci dignissim rutrum.

Zie hiervoor Figuur 3.

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Do-



Figure 3: Voorbeeld van figuurplaatsing.

nec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras ante. Pellentesque a nulla. Cum sociis natque per natibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Figure placement

```
\begin{figure}[p]
```

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consetetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Zie hier voor Figuur 4.

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.



Figure 4: Voorbeeld van figuurplaatsing.

Figure placement

- ▶ h (HERE): Figure can come here.
- ▶ t (TOP): Figure can come at the top of the page.
- ▶ b (BOTTOM): Figure can come at the bottom of the page
- ▶ p (PAGE): Figure can come on a special page for figures.
- ▶ !: Override internal parameters for floats.
- ▶ H (HERE): No floating, always here. (`\usepackage{float}`)

When working with images: `\usepackage{graphicx}`

\includegraphics

as paragraph

center

figure

htbp

Dimensions

- Full linewidth

```
\includegraphics[width=\linewidth]{assets/pinguin.jpg}
```


- 90% linewidth

```
\includegraphics[width=0.9\linewidth]{assets/pinguin.jpg}
```


- Width maximally 90% linewidth and height maximally 5 cm

```
\includegraphics[  
    width=0.9\linewidth, height=5cm, keepaspectratio  
]{assets/penguin.jpg}
```

Subfigure (\usepackage{subcaption})



(a) BB



(b) CC

Figuur 1: Multiple images next to eachother!

Subfigure (\usepackage{subcaption})

```
\begin{figure}[htbp]
    \centering
    \begin{subfigure}[b]{0.45\textwidth}
        \includegraphics[width=\textwidth]{AA}
        \caption{BB}
        \label{fig:dphiExample}
    \end{subfigure}\quad
    \begin{subfigure}[b]{0.45\textwidth}
        \includegraphics[width=\textwidth]{CC}
        \caption{CC}
        \label{fig:fitExample}
    \end{subfigure}
    \caption{Multiple images next to each other!}
\end{figure}
```

Formulas

The trigonometric identity is $\sin^2(\theta) + \cos^2(\theta) = 1$.

Formulas

The trigonometric identity is $\sin^2(\theta) + \cos^2(\theta) = 1$.

The trigonometric identity
is $\sin^2(\theta) + \cos^2(\theta) = 1$ \$.

Formulas

The trigonometric identity is $\sin^2(\theta) + \cos^2(\theta) = 1$.

The trigonometric identity
is $\sin^2(\theta) + \cos^2(\theta) = 1$.

```
\usepackage{amsmath, amssymb}
\usepackage{commath, mathtools}
```

\$\$ | ^ | _

Formulas: The basics

Formula	Code	Formula	Code
$\sqrt{2}$	\$	$\sqrt[3]{8}$	\$
$\frac{2}{3}$	\$	x_1	\$
$6 \geq 3$	\$	x_1^2	\$
$a^2 + b^2$	\$	a^{2+b^2}	\$

\$\$ | ^ | _

Formulas: The basics

Formula	Code	Formula	Code
$\sqrt{2}$	$\$ \backslash \text{sqrt}\{2\} \$$	$\sqrt[3]{8}$	$\$$
$\frac{2}{3}$	$\$$	x_1	$\$$
$6 \geq 3$	$\$$	x_1^2	$\$$
$a^2 + b^2$	$\$$	a^{2+b^2}	$\$$

\$\$ | ^ | _

Formulas: The basics

Formula	Code	Formula	Code
$\sqrt{2}$	<code>\$ \sqrt{2} \$</code>	$\sqrt[3]{8}$	<code>\$</code>
$\frac{2}{3}$	<code>\$ \frac{2}{3} \$</code>	x_1	<code>\$</code>
$6 \geq 3$	<code>\$</code>	x_1^2	<code>\$</code>
$a^2 + b^2$	<code>\$</code>	a^{2+b^2}	<code>\$</code>

\$\$ | ^ | _

Formulas: The basics

Formula	Code	Formula	Code
$\sqrt{2}$	<code>\$ \sqrt{2} \$</code>	$\sqrt[3]{8}$	<code>\$</code>
$\frac{2}{3}$	<code>\$ \frac{2}{3} \$</code>	x_1	<code>\$</code>
$6 \geq 3$	<code>\$ 6\geq 3 \$</code>	x_1^2	<code>\$</code>
$a^2 + b^2$	<code>\$</code>	a^{2+b^2}	<code>\$</code>

\$\$ | ^ | _

Formulas: The basics

Formula	Code	Formula	Code
$\sqrt{2}$	<code>\$ \sqrt{2} \$</code>	$\sqrt[3]{8}$	<code>\$</code>
$\frac{2}{3}$	<code>\$ \frac{2}{3} \$</code>	x_1	<code>\$</code>
$6 \geq 3$	<code>\$ 6 \geq 3 \$</code>	x_1^2	<code>\$</code>
$a^2 + b^2$	<code>\$ a^2 + b^2 \$</code>	a^{2+b^2}	<code>\$</code>

\$\$ | ^ | _

Formulas: The basics

Formula	Code	Formula	Code
$\sqrt{2}$	<code>\$ \sqrt{2} \$</code>	$\sqrt[3]{8}$	<code>\$ \sqrt[3]{8} \$</code>
$\frac{2}{3}$	<code>\$ \frac{2}{3} \$</code>	x_1	<code>\$ \$</code>
$6 \geq 3$	<code>\$ 6\geq 3 \$</code>	x_1^2	<code>\$ \$</code>
$a^2 + b^2$	<code>\$ a^2 + b^2 \$</code>	a^{2+b^2}	<code>\$ \$</code>

\$\$ | ^ | _

Formulas: The basics

Formula	Code	Formula	Code
$\sqrt{2}$	<code>\$ \sqrt{2} \$</code>	$\sqrt[3]{8}$	<code>\$ \sqrt[3]{8} \$</code>
$\frac{2}{3}$	<code>\$ \frac{2}{3} \$</code>	x_1	<code>\$ x_1 \$</code>
$6 \geq 3$	<code>\$ 6\geq 3 \$</code>	x_1^2	<code>\$ x_1^2 \$</code>
$a^2 + b^2$	<code>\$ a^2 + b^2 \$</code>	a^{2+b^2}	<code>\$ a^{2+b^2} \$</code>

\$\$ | ^ | _

Formulas: The basics

Formula	Code	Formula	Code
$\sqrt{2}$	<code>\$ \sqrt{2} \$</code>	$\sqrt[3]{8}$	<code>\$ \sqrt[3]{8} \$</code>
$\frac{2}{3}$	<code>\$ \frac{2}{3} \$</code>	x_1	<code>\$ x_1 \$</code>
$6 \geq 3$	<code>\$ 6\geq 3 \$</code>	x_1^2	<code>\$ x_1^2 \$</code>
$a^2 + b^2$	<code>\$ a^2 + b^2 \$</code>	a^{2+b^2}	<code>\$</code>

\$\$ | ^ | _

Formulas: The basics

Formula	Code	Formula	Code
$\sqrt{2}$	<code>\$ \sqrt{2} \$</code>	$\sqrt[3]{8}$	<code>\$ \sqrt[3]{8} \$</code>
$\frac{2}{3}$	<code>\$ \frac{2}{3} \$</code>	x_1	<code>\$ x_1 \$</code>
$6 \geq 3$	<code>\$ 6 \geq 3 \$</code>	x_1^2	<code>\$ x_1^2 \$</code>
$a^2 + b^2$	<code>\$ a^2 + b^2 \$</code>	a^{2+b^2}	<code>\$ a^{2+b^2} \$</code>

\$\$ | ^ | _

Formulas: The basics

Formula	Code	Formula	Code
$\sqrt{2}$	<code>\$ \sqrt{2} \$</code>	$\sqrt[3]{8}$	<code>\$ \sqrt[3]{8} \$</code>
$\frac{2}{3}$	<code>\$ \frac{2}{3} \$</code>	x_1	<code>\$ x_1 \$</code>
$6 \geq 3$	<code>\$ 6 \geq 3 \$</code>	x_1^2	<code>\$ x_1^2 \$</code>
$a^2 + b^2$	<code>\$ a^2 + b^2 \$</code>	a^{2+b^2}	<code>\$ a^{2+b^2} \$</code>
<hr/>			
x^{22}	<code>\$ x^{22} \$</code> : x^{22}		

Formulas: The basics

Formula	Code	Formula	Code
$\sqrt{2}$	$\$ \sqrt{2} \$$	$\sqrt[3]{8}$	$\$ \sqrt[3]{8} \$$
$\frac{2}{3}$	$\$ \frac{2}{3} \$$	x_1	$\$ x_1 \$$
$6 \geq 3$	$\$ 6 \geq 3 \$$	x_1^2	$\$ x_1^2 \$$
$a^2 + b^2$	$\$ a^2 + b^2 \$$	a^{2+b^2}	$\$ a^{2+b^2} \$$

$\$ x^{22} \$$: x^{22} | $\$ x^{\{22\}} \$$: x^{22}

Formulas: Symbols

Formula	Code	Formula	Code
x_1, \dots, x_n	$\$$	$5 \cdot 6$	$\$$
α, β, γ	$\$$	A, B, Γ	$\$$
ϵ, ε	$\$$	\mathcal{P}	$\$$
ϕ, φ	$\$$	\mathbb{P}	$\$$

Formulas: Symbols

Formula	Code	Formula	Code
x_1, \dots, x_n	<code>\$ x_1, \dots, x_n \$</code>	$5 \cdot 6$	<code>\$ 5 \cdot 6 \$</code>
α, β, γ	<code>\$ \alpha, \beta, \gamma \$</code>	A, B, Γ	<code>\$ A, B, \Gamma \$</code>
ϵ, ε	<code>\$ \epsilon, \varepsilon \$</code>	\mathcal{P}	<code>\$ \mathcal{P} \$</code>
ϕ, φ	<code>\$ \phi, \varphi \$</code>	\mathbb{P}	<code>\$ \mathbb{P} \$</code>

Formulas: Symbols

Formula	Code	Formula	Code
x_1, \dots, x_n	<code>\$ x_1, \dots, x_n \$</code>	$5 \cdot 6$	<code>\$ 5 \cdot 6 \$</code>
α, β, γ	<code>\$ \alpha, \beta, \gamma \$</code>	A, B, Γ	<code>\$ A, B, \Gamma \$</code>
ϵ, ε	<code>\$ \epsilon, \varepsilon \$</code>	\mathcal{P}	<code>\$ \mathcal{P} \$</code>
ϕ, φ	<code>\$ \phi, \varphi \$</code>	\mathbb{P}	<code>\$ \mathbb{P} \$</code>

\$\$ | ^ | _

Formulas: Symbols

Formula	Code	Formula	Code
x_1, \dots, x_n	<code>\$ x_1, \dots, x_n \$</code>	$5 \cdot 6$	<code>\$ 5 \cdot 6 \$</code>
α, β, γ	<code>\$ \alpha, \beta, \gamma \$</code>	A, B, Γ	<code>\$ A, B, \Gamma \$</code>
ϵ, ε	<code>\$ \epsilon, \varepsilon \$</code>	\mathcal{P}	<code>\$ \mathcal{P} \$</code>
ϕ, φ	<code>\$ \phi, \varphi \$</code>	\mathbb{P}	<code>\$ \mathbb{P} \$</code>

Formulas: Symbols

Formula	Code	Formula	Code
x_1, \dots, x_n	<code>\$ x_1, \dots, x_n \$</code>	$5 \cdot 6$	<code>\$ 5 \cdot 6 \$</code>
α, β, γ	<code>\$ \alpha, \beta, \gamma \$</code>	A, B, Γ	<code>\$ A, B, \Gamma \$</code>
ϵ, ε	<code>\$ \epsilon, \varepsilon \$</code>	\mathcal{P}	<code>\$ \mathcal{P} \$</code>
ϕ, φ	<code>\$ \phi, \varphi \$</code>	\mathbb{P}	<code>\$ \mathbb{P} \$</code>

Formulas: Symbols

Formula	Code	Formula	Code
x_1, \dots, x_n	<code>\$ x_1, \dots, x_n \$</code>	$5 \cdot 6$	<code>\$ 5 \cdot 6 \$</code>
α, β, γ	<code>\$ \alpha, \beta, \gamma \$</code>	A, B, Γ	<code>\$ A, B, \Gamma \$</code>
ϵ, ε	<code>\$ \epsilon, \varepsilon \$</code>	\mathcal{P}	<code>\$ \mathcal{P} \$</code>
ϕ, φ	<code>\$ \phi, \varphi \$</code>	\mathbb{P}	<code>\$ \mathbb{P} \$</code>

Formulas: Symbols

Formula	Code	Formula	Code
x_1, \dots, x_n	<code>\$ x_1, \dots, x_n \$</code>	$5 \cdot 6$	<code>\$ 5 \cdot 6 \$</code>
α, β, γ	<code>\$ \alpha, \beta, \gamma \$</code>	A, B, Γ	<code>\$ A, B, \Gamma \$</code>
ϵ, ε	<code>\$ \epsilon, \varepsilon \$</code>	\mathcal{P}	<code>\$ \mathcal{P} \$</code>
ϕ, φ	<code>\$ \phi, \varphi \$</code>	\mathbb{P}	<code>\$ \mathbb{P} \$</code>

Formulas: Symbols

Formula	Code	Formula	Code
x_1, \dots, x_n	<code>\$ x_1, \dots, x_n \$</code>	$5 \cdot 6$	<code>\$ 5 \cdot 6 \$</code>
α, β, γ	<code>\$ \alpha, \beta, \gamma \$</code>	A, B, Γ	<code>\$ A, B, \Gamma \$</code>
ϵ, ε	<code>\$ \epsilon, \varepsilon \$</code>	\mathcal{P}	<code>\$ \mathcal{P} \$</code>
ϕ, φ	<code>\$ \phi, \varphi \$</code>	\mathbb{P}	<code>\$ \mathbb{P} \$</code>

Formulas: Symbols

Formula	Code	Formula	Code
x_1, \dots, x_n	$\$ x_1, \dots, x_n \$$	$5 \cdot 6$	$\$ 5 \cdot 6 \$$
α, β, γ	$\$ \alpha, \beta, \gamma \$$	A, B, Γ	$\$ A, B, \Gamma \$$
ϵ, ε	$\$ \epsilon, \varepsilon \$$	\mathcal{P}	$\$ \mathcal{P} \$$
ϕ, φ	$\$ \phi, \varphi \$$	\mathbb{P}	$\$ \mathbb{P} \$$

Formulas: Vectors

Formula	Code	Formula	Code
\vec{x}	<code>\$ \vec{x} \$</code>	\vec{F}_{tot}	<code>\$ \vec{F}_{\text{tot}} \$</code>
\mathbf{x}	<code>\$ \mathbf{x} \$</code>	$\hat{i} + 6\hat{k}$	<code>\$ \hat{i} + 6\hat{k} \$</code>
$\ \vec{x}\ $	<code>\$ \ \vec{x}\ \$</code>	$\nabla \times \mathbf{A}$	<code>\$ \nabla \times \mathbf{A} \$</code>

$$\vec{F}_{\text{tot}}, \vec{F}_{\text{tot}}$$

$$\sin(x)$$
$$\vec{F}_{tot}$$

```
$ \sin(x) $  
$ \vec{F}_{tot} $
```

$$\sin(x)$$
$$\vec{F}_{tot}$$

```
$ \sin(x) $  
$ \vec{F}_{\text{tot}} $
```

Formulas: Calculus

```
\usepackage{commath}  
  
\dod{\sin(x)}{x}, \dpd{f(x,y)}{x}, \partial_x f  
  
\int_0^{\infty} e^{-x} \dif x = 1
```

$$\frac{d \sin(x)}{dx}, \frac{\partial f(x,y)}{\partial x}, \partial_x f$$

$$\int_0^{\infty} e^{-x} dx = 1$$

Formulas: Mathematical relations

Formula	Code	Formula	Code
$a \leq b$	$\$ a \leq b \$$	$a \geq b$	$\$ a \geq b \$$
$a < b$	$\$ a < b \$$	$a > b$	$\$ a > b \$$
$a \ll b$	$\$ a \ll b \$$	$a \gg b$	$\$ a \gg b \$$
$a = b$	$\$ a = b \$$	$a \simeq b$	$\$ a \simeq b \$$
$a \neq b$	$\$ a \neq b \$$	$a \approx b$	$\$ a \approx b \$$
$a \sim b$	$\$ a \sim b \$$	$a \stackrel{*}{=} b$	$\$ a \stackrel{*}{=} b \$$

Formulas: Arrows and operators

```
\DeclareMathOperator{\Image}{Image}

a \iff b, a\implies b, a\mapsto b
\lim_{x\rightarrow 0}\frac{\sin(x)}{x} = 1
\Image(f) = \mathbb{R}_{\geq 0}
```

$$a \iff b, a \implies b, a \mapsto b$$

$$\lim_{x \rightarrow 0} \frac{\sin(x)}{x} = 1$$

$$\Image(f) = \mathbb{R}_{\geq 0}$$


So many! And there are lots more :-)

CTAN symbol list:

[http://mirrors.ctan.org/info/symbols/comprehensive/
symbols-a4.pdf](http://mirrors.ctan.org/info/symbols/comprehensive/symbols-a4.pdf)

Detexify:

<http://detexify.kirelabs.org/classify.html>



Equation

The trigonometric identity is
 $\sin^2(\theta) + \cos^2(\theta) = 1$.

The trigonometric identity is
`\begin{equation}
 \sin^2(\theta) + \cos^2(\theta) = 1.
\end{equation}`

De trigonometric identity is $\sin^2(\theta) + \cos^2(\theta) = 1$.

De trigonometric identity is

$$\sin^2(\theta) + \cos^2(\theta) = 1. \quad (1)$$

Align

The double-angle formula can now be rewritten as

```
\begin{align}
    \cos(2\theta) &= \cos^2(\theta) - \sin^2(\theta) \\
    &= 2\cos^2(\theta) - 1.
\end{align}
```

The double-angle formula can now be rewritten as

$$\cos(2\theta) = \cos^2(\theta) - \sin^2(\theta) \tag{1}$$

$$= 2\cos^2(\theta) - 1. \tag{2}$$

Align

The double-angle formula can now be rewritten as

```
\begin{align}
    \cos(2\theta) &= \cos^2(\theta) - \sin^2(\theta) \\
    &= 2\cos^2(\theta) - 1.
\end{align}
```

The double-angle formula can now be rewritten as

$$\cos(2\theta) = \cos^2(\theta) - \sin^2(\theta) \tag{1}$$

$$= 2\cos^2(\theta) - 1. \tag{2}$$

Align

The double-angle formula can now be rewritten as

```
\begin{align}
\cos(2\theta) &= \cos^2(\theta) - \sin^2(\theta) \\
&\stackrel{\text{\nonumber}}{=} 2\cos^2(\theta) - 1.
\end{align}
```

The double-angle formula can now be rewritten as

$$\begin{aligned}\cos(2\theta) &= \cos^2(\theta) - \sin^2(\theta) \\ &= 2\cos^2(\theta) - 1.\end{aligned}\tag{1}$$

Align

The double-angle formula can now be rewritten as

```
\begin{aligned}
    \cos(2\theta) &= \cos^2(\theta) - \sin^2(\theta) \\
    &= 2\cos^2(\theta) - 1.
\end{aligned}
```

The double-angle formula can now be rewritten as

$$\begin{aligned}
 \cos(2\theta) &= \cos^2(\theta) - \sin^2(\theta) \\
 &= 2\cos^2(\theta) - 1.
 \end{aligned}$$

Align

We do this with the double-angle formula

```
\begin{align*}
    \cos(2\theta) &= \cos^2(\theta) - \sin^2(\theta),
\end{align*}
```

which we can rewrite as

```
\begin{align*}
&= \cos^2(\theta) - (1 - \cos^2(\theta)) \\
&= 2\cos^2(\theta) - 1.
\end{align*}
```

We do this with the double-angle formula

$$\cos(2\theta) = \cos^2(\theta) - \sin^2(\theta),$$

which we can rewrite as

$$\begin{aligned}
&= \cos^2(\theta) - (1 - \cos^2(\theta)) \\
&= 2\cos^2(\theta) - 1.
\end{aligned}$$

Align

We do this with the double-angle formula

```
\begin{align*}
    \cos(2\theta) &= \cos^2(\theta) - \sin^2(\theta),
\intertext{which we can rewrite as}
&= \cos^2(\theta) - (1 - \cos^2(\theta)) \\
&= 2\cos^2(\theta) - 1.
\end{align*}
```

We do this with the double-angle formula

$$\cos(2\theta) = \cos^2(\theta) - \sin^2(\theta),$$

which we can rewrite as

$$\begin{aligned}
&= \cos^2(\theta) - (1 - \cos^2(\theta)) \\
&= 2\cos^2(\theta) - 1.
\end{aligned}$$

Also in use

```
AA \(\sqrt{2}\)
BB [\sqrt{3}]
CC $$ \sqrt{4} $$
```

$$\begin{array}{ll} AA \sqrt{2} BB \\ & \sqrt{3} \\ CC & \sqrt{4} \end{array}$$

Left-right

```
\begin{align*}
&f(\sum_{i=1}^n x_i) \\
&f\left(\sum_{i=1}^n x_i\right)
\end{align*}
```

$$f\left(\sum_{i=1}^n x_i\right)$$

Delimiter point

```
\begin{align*}
    \left. \left. x^2 \right. \right|_{x=0}^{x=2} = 4
\end{align*}
```




$$\left. \left. x^2 \right. \right|_{x=0}^{x=2} = 4,$$

```
\begin{aligned}
R(\theta) &= \begin{pmatrix} \cos(\theta) & -\sin(\theta) \\ \sin(\theta) & \cos(\theta) \end{pmatrix}, \\
\abs{x} &= \begin{cases} x & \text{if } x \geq 0 \\ -x & \text{if } x < 0 \end{cases}
\end{aligned}
```

$$R(\theta) = \begin{pmatrix} \cos(\theta) & -\sin(\theta) \\ \sin(\theta) & \cos(\theta) \end{pmatrix}, \quad |x| = \begin{cases} x & \text{if } x \geq 0 \\ -x & \text{if } x < 0 \end{cases}$$

Chemical formulas `\usepackage{mhchem}`

```
\ce{CO2 + C -> 2 CO}\\\$\\ce{CO2 + C -> 2 CO}\\\$\\$\\ce{CH4 + 2 \left(\ce{O2 + 79/21 N2}\right)}\\$\\$\\ce{CH4 + 2 \left(\ce{O2 + 79/21 N2}\right)}\\$ % Error
```




Some examples are taken from the `mhchem` package documentation (see below)

More example can be found in the documentation of `mhchem`, see

<https://ctan.org/pkg/mhchem>

Installation

vkuhlmann.com/latex/installation



The screenshot shows a Visual Studio Code interface with a LaTeX workspace. On the left, the sidebar has sections for LATEX (COMMANDS, STRUCTURE), TEX (SNIPPET VIEW: Symbols, TikZ), and a search bar. The main area shows a LaTeX document named scratch1.tex with the following code:

```
\documentclass[a6paper]{article}
\usepackage[margin=2.5cm]{geometry}
\usepackage[dutch]{babel}
\usepackage{parskip}
\usepackage{amsmath,amssymb}
\usepackage{graphicx}
\usepackage{hyperref}

\begin{document}
\section{Introductie}
Hallo!
\begin{align*}
x &= \sqrt{2} + 3
\end{align*}
\end{document}
```

To the right, there are two preview panes: one for scratch1.tex showing the LaTeX code and another for scratch1.pdf showing the resulting document with the text "Hallo!" and the equation $x = \sqrt{2} + 3$.

1 Introductie

Hallo!

$$x = \sqrt{2} + 3$$

Sometimes you might need to compile multiple times.

Το τέλος

Questions?

Stuck? Mail me at
vkuhlmann@hotmail.com

The slides can be found on
<https://vkuhlmann.com/latex>

(c) 2022 Vincent Kuhlmann,
Creative Commons CC BY-NC-SA